



PRODUCT INFORMATION

- Heavy duty one- or two-way hand drawn system for pinch pleat or ripplefold drapery.
- Finish colors available: white, black, brown and grey.
- Track has a chromated powder coated finish with a factory applied patented dry lubricant.

- Wall or ceiling mount. See bracket count below. Additional brackets should be ordered separately.

Bracket Count:

Up to 48" = 2 brackets

49-84" = 3 brackets

85-120" = 4 brackets

121-156" = 5 brackets

- Limited lifetime warranty.
- Recommended maximum fabric weight is 6 lbs per foot depending on application.
- Bendable – CS track can be curved and reverse curved using an 8" radius or continuous curve. An exact size template is required. See page 51 for additional information.



25
White



59
Black





65
Brown



90
Grey

ASSEMBLED PRICING

Included for CS: track, end caps, carriers, butt or overlap masters, brackets (two up to 48", and one every additional 36"), and 36-72" fiberglass baton (see page 50 for all baton options). Specify pinch pleat or ripplefold when ordering. Freight is additional.

CS	COMPONENT	INCLUDED/ADDITIONAL
•	 <p>CS TRACK 1 White, black, brown or grey</p> <p>*Splicing is not recommended on one-way draw draperies.</p>	INCLUDED
•	 <p>TRACK CONNECTOR Includes key</p>	INCLUDED (with spliced tracks)
•	 <p>CEILING BRACKET Heavy Duty 3/32" P White, black, brown or grey</p>	INCLUDED (two up to 48", and one every additional 36")
•	 <p>COVER For ceiling bracket White, black, brown or grey</p>	ADDITIONAL
•	 <p>SINGLE WALL BRACKET With wide base Adjusts 3" 4 1/2" P White, black, brown or grey</p>	INCLUDED (two up to 48", and one every additional 36")
•	 <p>DOUBLE WALL BRACKET With wide base Adjusts 2 1/2" - 4" P, and 6" - 7 1/2" P White, black, brown or grey</p>	INCLUDED (two up to 48", and one every additional 36")

CS	COMPONENT	INCLUDED/ADDITIONAL
•	 <p>3/8" FIBERGLASS BATON</p> <p>Available in these colors and lengths:</p> <ul style="list-style-type: none">  White 36", 48", 60", 72"  Black 36", 48", 60", 72"  Bronze 36", 48", 60", 72"  Grey 36", 48", 60", 72" 	INCLUDED (see page 50 for all baton options)

A TIP FROM CAROLE:

Assembled CS tracks include two brackets for the first 48", and one every additional 36". Extra brackets can be ordered separately.

¹ For Brown or Grey, a splice is required if the length exceeds the standard stock track length of 192"



25
White



89
Graphite

PRODUCT INFORMATION

- Medium duty one- or two-way hand drawn system for pinch pleat or ripplefold drapery.
- Finish color available: white and graphite.
- Track has a chromated powder coated finish with a factory applied patented dry lubricant.
- Wall or ceiling mount. See bracket count below. Additional brackets should be ordered separately.



Bracket Count:

Up to 48"	=	2 brackets
49-84"	=	3 brackets
85-120"	=	4 brackets
121-156"	=	5 brackets

- Limited lifetime warranty.
- Recommended maximum fabric weight is 3 lbs per foot depending on application.
- Bendable – DS track can be curved and reverse curved using an 8" radius or continuous curve. An exact size template is required. See page 51 for additional information.

ASSEMBLED SETS

Included: track, end caps, carriers, butt or overlap masters, brackets (two up to 48", and one every additional 36"), and 36-72" fiberglass baton (see page 50 for all baton options). Specify pinch pleat or ripplefold when ordering. Freight is additional.

DS	COMPONENT	INCLUDED/ADDITIONAL	DS	COMPONENT	INCLUDED/ADDITIONAL
•	 <p>DS TRACK 1 White</p> <p>*Splicing is not recommended on one-way draw draperies.</p>	INCLUDED	 <p>3/8" FIBERGLASS BATON</p> <p>Available in these colors and lengths:</p> <ul style="list-style-type: none">  White 36", 48", 60", 72"  Black 36", 48", 60", 72"  Bronze 36", 48", 60", 72"  Grey 36", 48", 60", 72" 	INCLUDED (see page 50 for all baton options)	
•	 <p>TRACK CONNECTOR Includes key</p>	INCLUDED (with spliced tracks)			
•	 <p>CEILING BRACKET Heavy Duty With smart klick 3/32" P White</p>	INCLUDED (two up to 48", and one every additional 36")			
•	 <p>COVER For ceiling bracket White</p>	ADDITIONAL			
•	 <p>SINGLE WALL BRACKET With wide base Adjusts 3" - 4 1/2" P White</p>	INCLUDED (two up to 4", and one every additional 36")			
•	 <p>DOUBLE WALL BRACKET With wide base Adjusts 2 1/2" - 4" P, and 6" - 7 1/2" P White</p>	INCLUDED (two up to 48", and one every additional 36")			

A TIP FROM CAROLE:

Assembled tracks include two brackets for the first 48", and one every additional 36". Extra brackets can be ordered separately.

¹ A splice is required if the length exceeds the standard stock track length of 192"