

# CORNICES

## Quick Product Guide



Albany



Atlanta



Belvedere



Low Profile Belvedere



Chateau



Decatur



Florence



Marietta



Richmond




Savannah



Low Profile Savannah



Statler



Low Profile Statler


CORNICE STYLE	STANDARD FEATURES							UPGRADES						
	Min. Width	Max. Width	Min. Long Point	Max. Long Point	Difference between Long and Short Points	Padded	Cording on Bottom Edge	Contrast Cording	Cording on Top Edge	Banding Style	Trim Style	Bay / Corner	Hinged	Cut Out
Albany	24"	144"	12"	22"	4"	S	S	Y	Y	B	N	Y	Y	Y
Atlanta	24"	144"	12"	22"	3"	S	S	Y	Y	B	N	Y	Y	Y
Belvedere	24"	144"	12"	22"	3"	S	S	Y	Y	B	B*	Y	Y	Y
Low Profile Belvedere	24"	144"	10"	10"	3"	N	S	Y	Y	B	B*	Y	N	Y
Chateau	24"	144"	12"	22"	5"	S	S	Y	Y	B	N	Y	Y	Y
Decatur	24"	144"	12"	22"	3"	S	S	Y	Y	B	N	Y	Y	Y
Florence	24"	144"	12"	22"	10"	S	S	Y	Y	B	N	Y	Y	Y
Marietta	24"	144"	12"	22"	2"	S	S	Y	Y	B	N	Y	Y	Y
Richmond	24"	144"	12"	22"	4"	S	S	Y	Y	B	N	Y	Y	Y
Savannah	24"	144"	12"	22"	4"	S	S	Y	Y	B	N	Y	Y	Y
Low Profile Savannah	24"	144"	10"	10"	4"	N	S	Y	Y	B	N	Y	N	Y
Statler	24"	144"	10"	22"	0"	S	S	Y	Y	B	B	Y	Y	Y
Low Profile Statler	24"	144"	10"	10"	0"	N	S	Y	Y	B	B	Y	N	Y

Solid fabrics will be railroaded. Prints will be seamed. Specify direction of stripes.  
 Dust Caps covered with white lining. Dust Cap in Face Fabric is an optional surcharge.  
 Trim Style B\* - Horizontal, excludes Tapes

S - Standard  
 Y - Yes  
 N - No

**ALBANY**

## Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

## STANDARD FEATURES

Description	Straight-stepped shape, 4" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining


## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

# ATLANTA

## Cornices

Pricing on page: [116](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Inset arched design with a downward center point, 3" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**BELVEDERE**

## Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

## STANDARD FEATURES


Description	Straight angled-step shape, 3" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides/Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application	<a href="#">115</a>	<a href="#">118</a>	Y	Style "B" (horizontal), excluding tapes
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**LOW PROFILE BELVEDERE**

Cornices

Pricing on page: [117](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	10" ONLY	
Returns	1 1/2"	10"

STANDARD FEATURES

Description	Straight angled-step shape, 3" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	N - Face and sides are NOT padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application	<a href="#">115</a>	<a href="#">118</a>	Y	Style "B" (horizontal), excluding tapes
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards			N	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**CHATEAU**

## Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

## STANDARD FEATURES

Description	Intricate curved shape, 5" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**DECATUR**

Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Intricate inset arched design with an upward center point, 3" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**FLORENCE**

## Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

## STANDARD FEATURES

Description	Inset arched shape, 10" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

# MARIETTA

Cornices

Pricing on page: [116](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Intricate inset curved design with an upward center point, 2" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**RICHMOND**

## Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

## STANDARD FEATURES

Description	Curved center shape with partial scallops at each end, 4" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**SAVANNAH**

Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Arched center and upward points at each end, 4" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**LOW PROFILE SAVANNAH**

Cornices

Pricing on page: [117](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	10" ONLY	
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Arched center and upward points at each end, 4" difference between long and short points Pattern will elongate with width of treatment
Upholstered	Y - Face and sides are upholstered with fabric
Padding	N - Face and sides are NOT padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application			N	
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards			N	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**STATLER**

Cornices

Pricing on page: [116](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	12"	22"
Returns	1 1/2"	10"

STANDARD FEATURES


Description	Classic straight shape
Upholstered	Y - Face and sides are upholstered with fabric
Padding	Y - Face and sides are padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application	<a href="#">115</a>	<a href="#">118</a>	Y	Style "B" (horizontal)
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards	<a href="#">115</a>	<a href="#">118</a>	Y	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order

**LOW PROFILE STATLER**

Cornices

Pricing on page: [117](#)PRODUCT  
DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	10" ONLY	
Returns	1 1/2"	10"

## STANDARD FEATURES

Description	Classic straight shape
Upholstered	Y - Face and sides are upholstered with fabric
Padding	N - Face and sides are NOT padded
Construction	All wood 3/4" Top Board/Dust Cap and Sides>Returns, 3/8" Face/Front
Cording	1/4" bias-cut cording on bottom edge
Lining	Lined with white lining (inside of cornice)
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Suggested Fabric	Solid fabrics: Recommend railroaded Print Fabrics: Recommend seamed Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

## UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	<a href="#">115</a>	<a href="#">117</a>	Y	Style "B" (horizontal)
Trim Application	<a href="#">115</a>	<a href="#">118</a>	Y	Style "B" (horizontal)
Cording - Top Edge		<a href="#">117</a>	Y	
Contrast Cording			Y	1/4" contrast cording Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Bay or Corner Windows		<a href="#">118</a>	Y	All bay or corner windows use mitre board Price using Mitre Board Upgrade
Mitre Board		<a href="#">118</a>	Y	
Hinged Boards			N	
Cut Out	<a href="#">115</a>	<a href="#">118</a>	Y	Available as custom quote, contact Customer Care to place order