

SOFT SHADES

Quick Product Guide



Flat Roman Shade



Front Fold Roman Shade



Hobbled Roman Shade



Reverse Fold Roman Shade



Slouch Roman Shade



Soft Roman Shade

SOFT SHADE STYLE	STANDARD FEATURES						UPGRADES				
	Min Width	Max Width	Min Length	Max Length	Mount	Position*	Cordless	Motorized	Attached Valance	Banding Style	Trim Style
Flat Roman	18"	96"	18"	96"	IB / OB	Front/Back	Y	Y	Y	A, B, C	A, B, C
Front Fold Roman	18"	96"	18"	96"	IB / OB	Front/Back	Y	Y	Y	B	B
Hobbled Roman	18"	72"	24"	72"	IB / OB	Front	Y	Y	N	A, B, C	A, B, C
Reverse Fold Roman	18"	96"	18"	96"	IB / OB	Front/Back	Y	Y	Y	B	B
Slouch Roman	18"	96"	18"	96"	OB	Front	N	Y	N	N	N
Soft Roman	18"	96"	18"	96"	IB / OB	Front/Back	Y	Y	Y	A	A

*Standard lift system for Position Off the Front is Loop Control. Cordless or Motorized available as upgrades.
Standard lift system for Position Off the Back is Cordless. Motorized available as upgrade.


S - Standard
Y - Yes
N - No

Projection for Shade styles above:

Loop Control - Min. Width 18", Max. Width 96", Min. Length 22", Max. Length 96", Headrail projection approximately 2 1/2"

Cordless - Min. Width 22", Max. Width 72", Min. Length 22", Max. Length 72", Headrail projection approximately 2 1/2"

Motorized - Min. Width Outside Mount 18", Min. Width Inside Mount 18", Max. Width 96" *except for Hobbled, Min. Length 36", Max. Length 72", Headrail projection approximately 2 1/2"



FLAT ROMAN SHADE

Soft Shades

Pricing on pages: [87 - 88](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	18"	96"
Length	18"	96"

STANDARD FEATURES

Description	Battens sewn between front and back of shade to minimize hand-dressing when raised. Flat when fully lowered.
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Inside or Outside Mount — Inside Mount: Pre-slotted headrail for installation, shipped with brackets. Workroom will make a 3/8" deduction for the headrail and the shade. Optional return flaps covered with face fabric. — Outside Mount: Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Fully Lined
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with fabrics that have body. Soft fabrics create a slight swag effect between cords.

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	86	95, 97	Y	Shade: Style "A" (vertical), "B" (horizontal), & "C" (both) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)
Cordless Lift System	84	96	Y	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail	85	95	Y	— Includes Cordless lift system, option to upgrade to Motorized — Includes a flat attached 8" valance in face fabric or a contrasting fabric to cover headrail components
Trim Application	86	95 - 96	Y	Shade: Style "A" (vertical), "B" (horizontal), & "C" (both) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)



FRONT FOLD ROMAN SHADE

Soft Shades

Pricing on pages: [89](#) - [90](#)

PRODUCT
DIMENSIONS

	Minimum	Maximum
Width	18"	96"
Length	18"	96"

STANDARD FEATURES

Description	Battens sewn into front of shade for crisp folds
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Inside or Outside Mount — Inside Mount: Pre-slotted headrail for installation, shipped with brackets. Workroom will make a 3/8" deduction for the headrail and the shade. Optional return flaps covered with face fabric. — Outside Mount: Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Fully Lined
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with fabrics that have body and hold even folds. Notes: Pattern does become interrupted with folds.

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	86	95, 97	Y	Shade: Style "B" (horizontal) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)
Cordless Lift System	84	96	Y	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail	85	95	Y	— Includes Cordless lift system, option to upgrade to Motorized — Includes a flat attached 8" valance in face fabric or a contrasting fabric to cover headrail components
Trim Application	86	95 - 96	Y	Shade: Style "B" (horizontal) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)



HOBBLED ROMAN SHADE

Soft Shades

Pricing on pages: [91 - 92](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	18"	72"
Length	24"	72"

STANDARD FEATURES

Description	Soft folds remain when shade is fully closed with battens sewn into backside of shade for stability
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Inside or Outside Mount — Inside Mount: Pre-slotted headrail for installation, shipped with brackets. Workroom will make a 3/8" deduction for the headrail and the shade. Optional return flaps covered with face fabric. — Outside Mount: Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Dual Lined - Fully lined with standard lining, which appears flat from the back of shade, and third-layer lining is added between face fabric and outer lining to soften appearance of folds
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with fabrics that have body and hold even folds. Notes: Pattern does become interrupted with folds.

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	86	95, 97	Y	Style "A" (vertical), "B" (horizontal), & "C" (both)
Cordless Lift System	84	96	Y	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail			N	
Trim Application	86	95 - 96	Y	Style "A" (vertical), "B" (horizontal), & "C" (both)



REVERSE FOLD ROMAN SHADE

Soft Shades

Pricing on pages: [89 - 90](#)

PRODUCT
DIMENSIONS

	Minimum	Maximum
Width	18"	96"
Length	18"	96"

STANDARD FEATURES

Description	Battens sewn into back of shade for crisp folds
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Inside or Outside Mount — Inside Mount: Pre-slotted headrail for installation, shipped with brackets. Workroom will make a 3/8" deduction for the headrail and the shade. Optional return flaps covered with face fabric. — Outside Mount: Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Fully Lined
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with fabrics that have body and hold even folds. Notes: Pattern does become interrupted with folds.

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	86	95, 97	Y	Shade: Style "B" (horizontal) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)
Cordless Lift System	84	96	Y	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail	85	95	Y	— Includes Cordless lift system, option to upgrade to Motorized — Includes a flat attached 8" valance in face fabric or a contrasting fabric to cover headrail components
Trim Application	86	95 - 96	Y	Shade: Style "B" (horizontal) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)



SLOUCH ROMAN SHADE

Soft Shades

Pricing on pages: [87](#) - [88](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	18"	96"
Length	18"	96"

^o Specified length will be short point on shade

STANDARD FEATURES

Description	Flat when fully extended, soft folds at bottom hem and fanned bottom hem corners remain in any position. Center swoop will repeat in wider shade widths (1 swoop ≤ 54" and 2 swoops = 54" - 96")
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Outside Mount ONLY — Order 2" wider on each side as hems tend to draw in where folds gather — Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Fully Lined
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with light weight fabrics that drape easily

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application			N	
Cordless Lift System			N	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail			N	
Trim Application			N	



SOFT ROMAN SHADE

Soft Shades

Pricing on pages: [93 - 94](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	18"	96"
Length	18"	96"

^o Specified length will be short point on shade

STANDARD FEATURES

Description	Flat when fully extended, soft folds at bottom hem remain in any position. Center swoop will repeat in wider shade widths (1 swoop ≤ 54" and 2 swoops = 54" - 96")
Headrail	Available in white only, approximately 2 1/2" headrail projection
Operation	Loop Control, choice of right or left side operation Select from white plastic bead chain or silver stainless steel bead chain
Mount	Inside or Outside Mount — Inside Mount: Pre-slotted headrail for installation, shipped with brackets. Workroom will make a 3/8" deduction for the headrail and the shade. Optional return flaps covered with face fabric. — Outside Mount: Return flaps covered with face fabric. Shipped with brackets for installation.
Lining	Fully Lined
Thread	Sewn with color-coordinated thread
Maintenance	Folds may require dressing as shade is raised and lowered
Fabric	Works best with light weight fabrics that drape easily

UPGRADES

	Specs	Pricing	Available?	Notes
Banding Application	86	95, 97	Y	Shade: Style "A" (vertical) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)
Cordless Lift System	84	96	Y	
Lining Upgrade	86	95	Y	
Motorized Lift System	85	96	Y	
Positioned Off the Back of Headrail	85	95	Y	— Includes Cordless lift system, option to upgrade to Motorized — Includes a flat attached 8" valance in face fabric or a contrasting fabric to cover headrail components
Trim Application	86	95 - 96	Y	Shade: Style "A" (vertical) Attached Valance: Style "A" (vertical) or Style "B" (horizontal)