

VALANCES - BOARD MOUNTED

Quick Product Guide




Berkshire



Charleston




Diana



Handkerchief




Hathaway



Judith




Kennedy



Madison



Monticello



Sheldon



Stagecoach



Welles

BOARD MOUNTED VALANCE STYLE	STANDARD FEATURES							UPGRADES				
	Min. Width	Max. Width	Min. Long Point	Max. Long Point	Difference between Long and Short Points	1/4" Cording on Top Edge	Dust Cap - White Lining	Bay / Corner	Contrast Cording	Contrast Lined	Dust Cap - Face Fabric	Hinged
Berkshire	36"	144"	12"	17"	2"	S	S	N	Y	N	Y	Y
Charleston	36"	144"	18"	18"	4"	S	S	N	Y	Y	Y	Y
Diana	36"	144"	21"	21"	3"	N	S	N	N	Y	Y	Y
Handkerchief	36"	144"	18"	18"	3"	S	S	N	Y	Y	Y	Y
Hathaway	36"	144"	18"	18"	4"	S	S	N	Y	N	Y	Y
Judith	24"	96"	12"	18"	0"	N	N	N	N	N	S	N
Kennedy	24"	108"	22"	22"	7"	N	N	N	N	Y	S	Y
Madison	24"	126"	12"	18"	0"	S	S	N	Y	N	Y	Y
Monticello	36"	126"	24"	27"	10" - 13"	S	S	N	Y	Y	Y	Y
Sheldon	24"	144"	14"	25"	0"	S	S	N	Y	N	Y	Y
Stagecoach	36"	108"	18"	18"	0"	S	S	N	Y	N	Y	Y
Welles	36"	108"	12"	18"	0"	N	S	N	N	N	Y	N

Trim Style B* - Horizontal, excludes Tapes larger than 3/4"

S - Standard
Y - Yes
N - No

BERKSHIRE

Valances - Board Mounted

Pricing on page: [135](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	36"	144"
Long Point	12"	17"
Returns	3"	10"

STANDARD FEATURES


Description	Deep-set box pleats with scalloped hem line Approximately 2" difference between long and short points
Construction	Pleats approximately every 14" to 16" - Determined by workroom
Cording	1/4" cording on top edge
Lining	Lined with white lining
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	

CHARLESTON

Valances - Board Mounted

Pricing on page: [135](#)PRODUCT
DIMENSIONS

	Minimum	Maximum
Width	36"	144"
Long Point	18" ONLY	
Returns	3"	10"

STANDARD FEATURES

Description	Scalloped valance with overlaid pleated pelmets Approximately 4" difference between long and short points
Construction	Pelmets approximately every 20" - Determined by workroom
Cording	1/4" cording on top edge
Lining	Pelmets lined with face fabric, white lining on backside
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			Y	Pelmets ONLY - Add one yard of fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Jabots			N	
Trim Application			N	



DIANA

Valances - Board Mounted

Pricing on page: [135](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	36"	144"
Long Point	21" ONLY	
Returns	3"	10"

STANDARD FEATURES

Description	Scalloped pleated valance with cascades Approximately 3" difference between long and short points
Construction	Scallops approximately 12" wide - Determined by workroom Cascades are 36" long
Cording	N
Lining	Lined with face fabric
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining


UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording			N	
Contrast Lined			Y	Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Jabots	134	138	Y	
Trim Application			N	

HANDKERCHIEF

Valances - Board Mounted

Pricing on page: [135](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	36"	144"
Long Point	18" ONLY	
Returns	3"	10"

STANDARD FEATURES

Description	Tailored, paneled valance with corner folds on ends Approximately 3" difference between long and short points Pattern will elongate with width of treatment
Construction	Side panels are approximately 11" wide, center panel takes up remaining width Panels are NOT joined together
Cording	1/4" cording on top edge
Lining	Center panel lined with blackout lining, side panels lined with face fabric
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Dust cap is lined with white lining


UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			Y	Price according to more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	

HATHAWAY

Valances - Board Mounted

Pricing on page: [135](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	36"	144"
Long Point	18" ONLY	
Returns	3"	10"

STANDARD FEATURES

Description	Curved box pleated valance Approximately 4" difference between long and short points
Construction	Scallops approximately 15" wide - Determined by workroom
Cording	1/4" cording on top edge
Lining	Lined with white lining
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining


UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	

JUDITH

Valances - Board Mounted

Pricing on page: [136](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	96"
Long Point	12", 14", 16" & 18" ONLY	
Returns	1.5", 3" & 5" ONLY	

STANDARD FEATURES

Description	Single-fold valance
Construction	3" bottom skirt Shade leveler ball stops, allowing for slight adjustments to correct height or evenness
Cording	N
Lining	Lined with white lining, third layer of lining is added between the face fabric and outer lining to soften the appearance of the fold
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with face fabric

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording			N	
Contrast Lined			N	
Dust Cap - Face Fabric			N/A	Comes standard
Hinged Boards			N	
Trim Application			N	

KENNEDY

Valances - Board Mounted

Pricing on page: [136](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	108"
Long Point Swoop	Approx. 15"	
Long Point Cascades	Approx. 22"	
Returns	3"	8"

STANDARD FEATURES

Description	Board mounted swag valance Cascades are formed and gathered on each end Center shape will elongate with width of treatment, appearing straighter on wider treatments
Construction	Fabric is draped along center and gathered on either side to create a contemporary swag Cascades are 22" long
Cording	N
Lining	Lined with face fabric
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Fabric	Solid Fabrics: Railroaded Print fabrics: Seamed and matched Striped fabrics: Specify direction for stripes
Dust Cap	Covered with face fabric


UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording			N	
Contrast Lined			Y	Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			N/A	Comes standard
Hinged Boards	134	138	Y	
Trim Application			N	

MADISON

Valances - Board Mounted

Pricing on page: [136](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	126"
Long Point	12"	18"
Returns	3"	10"

STANDARD FEATURES

Description	Corner pleat valance
Construction	Flat face with box pleats at each corner going back into the returns
Cording	1/4" cording on top edge
Lining	Lined with white lining
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	



MONTICELLO

Valances - Board Mounted

Pricing on page: [136](#)

PRODUCT DIMENSIONS

	Minimum	Maximum
Width	36"	126"
Long Point	24"	27"
Returns	3"	10"

STANDARD FEATURES

Description	Arched, box pleated valance with cascades Pattern will elongate with width of treatment Short point is approximately 14"
Construction	Box pleats approximately every 30" - Determined by workroom
Cording	1/4" cording on top edge
Lining	Lined with face fabric
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining


UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			Y	Price according to the more expensive of face/contrast fabric
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Jabots			N	
Trim Application			N	

SHELDON

Valances - Board Mounted

Pricing on page: [137](#)



PRODUCT DIMENSIONS

	Minimum	Maximum
Width	24"	144"
Long Point	14"	25"
Returns	3"	10"

STANDARD FEATURES

Description	Box pleated valance
Construction	Box pleats approximately 12" wide - Determined by workroom
Cording	1/4" cording on top edge
Lining	Lined with white lining
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	

STAGECOACH

Valances - Board Mounted

Pricing on page: [137](#)PRODUCT
DIMENSIONS

	Minimum	Maximum
Width	36"	108"
Long Point	18" ONLY	
Returns	3"	10"

STANDARD FEATURES

Description	Hobbled valance with knotted ties
Construction	Ties hang approximately 3" - 4" below bottom of treatment
Cording	1/4" cording on top edge
Lining	Unlined
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Fabric	Solid Fabrics: Railroaded Print fabrics: Seamed and matched Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording		137	Y	Price from Valance Cording Upgrade chart
Contrast Ties			Y	Price according to the more expensive of face/contrast fabric
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards	134	138	Y	
Trim Application			N	

WELLES

Valances - Board Mounted

Pricing on page: [137](#)PRODUCT
DIMENSIONS

	Minimum	Maximum
Width	36"	108"
Long Point	12"	18"
Returns	3"	10"

STANDARD FEATURES

Description	Contemporary horizontal pleated valance
Construction	Horizontal folds approximately every 3" - Determined by workroom
Cording	N
Lining	Lined with white lining
Thread	Sewn with color-coordinated thread
Installation	Inside Mount: L-brackets included Outside Mount: L-brackets included
Fabric	Solid Fabrics: Railroaded Print fabrics: Seamed and matched Striped fabrics: Specify direction for stripes
Dust Cap	Covered with white lining

UPGRADES

	Specs	Pricing	Available?	Notes
Bay or Corner Windows			N	
Contrast Cording			N	
Contrast Lined			N	
Dust Cap - Face Fabric			Y	Add one yard of fabric
Hinged Boards			N	
Trim Application			N	